

Searches for User *hphilogene* (Count = 34375)

Queries 34326 through 34375.

S #	Updt	Database	Query	Time	Comment
<u>S34375</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20060164842	2007-09-19 12:13:53	
<u>S34374</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20060055341	2007-09-19 12:11:40	
<u>S34373</u>	<u>U</u>	USPT	20060055341	2007-09-19 12:11:32	
<u>S34372</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	20060049777	2007-09-19 12:09:41	
<u>S34371</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((high\$pressure adj discharge adj lamp) and (voltage adj pulses) and (ignit\$3 or start\$3) and detect\$3 and (timer or timing) and (restart\$3 or reignit\$3)) and superimpos\$3	2007-09-19 10:41:02	
<u>S34370</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((high\$pressure adj discharge adj lamp) and (voltage adj pulses) and (ignit\$3 or start\$3)) and detect\$3 and (timer or timing) and (restart\$3 or reignit\$3)	2007-09-19 10:40:10	

<u>S34369</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(high\$pressure adj discharge adj lamp) and (voltage adj pulses) and (ignit\$3 or start\$3)	2007- 09-19 10:37:52
<u>S34368</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((high near2 voltage near2 pulses) and (discharge adj lamp) and (ignit\$3 or start\$3) and detect\$3 and compar\$4 and (timer or timing)) and restart\$3 and superimpos\$3 and high\$pressure	2007- 09-19 02:55:07
<u>S34367</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((high near2 voltage near2 pulses) and (discharge adj lamp) and (ignit\$3 or start\$3) and detect\$3 and compar\$4 and (timer or timing)) and restart\$3 and prohibit\$3	2007- 09-19 02:47:51
<u>S34366</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((high near2 voltage near2 pulses) and (discharge adj lamp) and (ignit\$3 or start\$3) and detect\$3 and compar\$4) and (timer or timing)	2007- 09-19 02:46:55
<u>S34365</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(high near2 voltage near2 pulses) and (discharge adj	2007- 09-19 02:46:30

		lamp) and (ignit\$3 or start\$3) and detect\$3 and compar\$4	
<u>S34364</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(high near2 2007- voltage near2 09-19 pulses) and 02:45:38 (discharge adj lamp) and (ignit\$3 or start\$3) and (detect\$3 near3 (turn adj "on")) and compar\$4
<u>S34363</u>	<u>U</u>	USPT	6828714.pn. 2007- 09-18 11:27:08
<u>S34362</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((information adj 2007- system) and 09-17 (\$controller or 10:00:30 \$processor) and monitor\$3 and illuminat\$3 and parameters and convert\$3 and (control adj signal)) and (information adj signal)
<u>S34361</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((information adj 2007- system) and 09-17 (\$controller or 09:59:44 \$processor) and monitor\$3 and illuminat\$3 and parameters) and convert\$3 and (control adj signal)
<u>S34360</u>	<u>U</u>	USPT	(information adj 2007- system) and 09-17 (\$controller or 09:58:14 \$processor) and monitor\$3 and illuminat\$3 and parameters
<u>S34359</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((illumination adj 2007- device) and 09-17